

Office Productivity Battery life

10 h 21 min

Min performance score	111000
Median performance score	216000
Battery level at start	100%
Battery level at end	2%
Max detected brightness	65%
Min detected brightness	46%

System summary

CPU	NVIDIA RTX Spark N1X (6144-core GPU, 20-core CPU) @ 0MHz
GPU	NVIDIA RTX Spark N1X (6144-core Blackwell RTX GPU) (driver version 32.0.
Display	\\.\DISPLAY1 3840 x 2400 px @ 250% DPI
Memory	8191 MB (0 modules)
System storage	SAMSUNG MZVL81T0HFLB-00BTW 951 GB (268 GB free)
Motherboard	ASUSTeK COMPUTER INC. H7607BA
OS	Windows 11 Pro 64-bit (10.0.28000)

Battery information

Name	ASUS Battery
Manufacturer	ASUSTeK
Designed capacity	99902 mWh
Capacity fully charged	99902 mWh
Wear	0%
Cycle count	6

Screen calibration

Who calibrated	dimcar
Calibration instrument	xrite
Brightness level	65
Measured brightness (nits)	205
Calibration date	2026-10-13 18:31:42
All adaptive brightness settings disabled	Yes

Power plan

Name	Whisper
Power mode	N/A
Critical battery level	2%
Reserve battery level	4%
Low battery level	4%
Minimum processor state	46%
Maximum processor state	100%
Power saver display brightness	70
Power saver policy	Aggressive
Power saver level	30%

Power related settings

Airplane mode	off
----------------------	-----

Run information

Name	PROARTP16_2026-10-13 18:32:40.0
Started at	2026-10-13T18:32:40.000+03:00
Ended at	2026-10-14T04:54:50.000+03:00
Id	76be1948-41bd-4250-b664-2184ce0f18e1

Software

Procyon version information

Product version	2.12.2641 64
UI version	2.12.2586 64
Office Productivity	1.3
Platform	ARM
SystemInfo version	5.91.1460

Application versions

Excel	16.0.18324.20168 en-US (64 bit)
Word	16.0.18324.20168 en-US (64 bit)
PowerPoint	16.0.18324.20168 en-US (64 bit)
Outlook	16.0.18324.20168 en-US (64 bit)

Operating system

Name	Windows 11 Pro 64-bit (10.0.28000)
HPET	Disabled
HVCI	Enabled, running
VBS	Enabled, running

Hardware

Processor

CPU	NVIDIA RTX Spark N1X (6144-core GPU, 20-core CPU)
Clock Frequency	
Max Frequency	
Processors	
Cores	20 (20)
Package	

Vari bright

Enabled	false
Level	N/A

Graphic adapters

GPU	NVIDIA RTX Spark N1X (6144-core Blackwell RTX GPU)
Manufacturer	NVIDIA
Dedicated Video Memory	
Total Available Graphics Memory	4095 MB
Core Clock	741 MHz
Boost Clock	2346 MHz
Memory Clock	
Driver Version	32.0.16.1662
Display 1	\\.\DISPLAY1 (3840 x 2400, 250% DPI scaling)

GPU	NVIDIA NPU
Manufacturer	Undefined
Dedicated Video Memory	
Total Available Graphics Memory	4095 MB
Core Clock	
Boost Clock	
Memory Clock	9400 MHz
Driver Version	32.0.16.1662



Displays

Name	\\.\DISPLAY1
Resolution	3840 x 2400 px
Scaling	250% DPI scaling
GPU	NVIDIA RTX Spark N1X (6144-core Blackwell RTX GPU)

Motherboard

Model	ASUSTeK COMPUTER INC. H7607BA
BIOS	N/A
North bridge	N/A

Memory

Total amount	8191 MB
--------------	---------

Storage devices

Drive 0	953 GB
Drive model	SAMSUNG MZVL81T0HFLB-00BTW
Drive type	SSD
External drive	No
Partition 0	450 MB
Partition 1	C: (NTFS) 951 GB (268 GB free)
Partition 2	1.2 GB
Partition 3	260 MB



Network adapters

Adapter	MediaTek Wi-Fi 7 MT7925 Wireless LAN Card
Manufacturer	MediaTek, Inc.
Connection id	Wi-Fi
Enabled	true
Connection status	Connected
Type	Ethernet 802.3
Type id	Ethernet 802.3
Availability	Running/Full power
Adapter	Bluetooth Device (Personal Area Network)
Manufacturer	Microsoft
Connection id	Bluetooth Network Connection
Enabled	false
Connection status	Media disconnected
Type	Ethernet 802.3
Type id	Ethernet 802.3
Availability	Running/Full power

